

CONTENTS - DIVISION I - DESIGN

Section 1 - General Provisions

1.1	DESIGN ANALYSIS AND GENERAL STRUCTURAL INTEGRITY FOR BRIDGES	April 2000	1-1
1.1.1	Design Analysis	April 2000	1-1
1.1.2	Structural Integrity	April 2000	1-1
1.2	BRIDGE LOCATION	April 2000	1-1
1.3	WATERWAYS	April 2000	1-1
1.3.1	General	April 2000	1-1
1.3.2	Hydraulic Studies	April 2000	1-2
1.3.2.1	Site Data	April 2000	1-2
1.3.2.2	Hydrologic Analysis	April 2000	1-2
1.3.2.3	Hydraulic Analysis	April 2000	1-2
1.4	CULVERT LOCATION, LENGTH, AND WATERWAY OPENINGS	April 2000	1-2
1.5	ROADWAY DRAINAGE	April 2000	1-2
1.6	RAILROAD OVERPASSES	April 2000	1-2
1.6.1	Clearances	April 2000	1-2
1.6.2	Blast Protection	April 2000	1-3
1.7	SUPERELEVATION	April 2000	1-3
1.8	FLOOR SURFACES	April 2000	1-3
1.9	UTILITIES	April 2000	1-3

Section 2 - General Features of Design

2.1	GENERAL	April 2000	2-1
2.1.1	Notations	April 2000	2-1
2.1.2	Width of Roadway and Sidewalk	April 2000	2-1
2.2	STANDARD HIGHWAY CLEARANCES - GENERAL	April 2000	2-1
2.2.1	Navigational	April 2000	2-1
2.2.2	Roadway Width	April 2000	2-1
2.2.3	Vertical Clearance	April 2000	2-1
2.2.4	Other	April 2000	2-1
2.2.5	Curbs and Sidewalks	April 2000	2-2
2.3	HIGHWAY CLEARANCES FOR BRIDGES	April 2000	2-2
2.3.1	Width	April 2000	2-2
2.3.2	Vertical Clearance	April 2000	2-2

2.4	HIGHWAY CLEARANCES FOR UNDERPASSES	April 2000	2-2
2.4.1	Width	April 2000	2-2
2.4.2	Vertical Clearances	April 2000	2-2
2.4.3	Curbs	April 2000	2-2
2.5	HIGHWAY CLEARANCES FOR TUNNELS	April 2000	2-2
2.5.1	Roadway Width	April 2000	2-2
2.7	RAILINGS	April 2000	2-2
2.7.1	Vehicular Railing	April 2000	2-3
2.7.1.1	General	April 2000	2-3
2.7.1.2	Geometry	April 2000	2-3
2.7.1.3	Loads	April 2000	2-3
2.7.2	Bicycle Railing	April 2000	2-4
2.7.2.1	General	April 2000	2-4
2.7.2.2	Geometry and Loads	April 2000	2-4
2.7.3	Pedestrian Railing	April 2000	2-6
2.7.3.1	General	April 2000	2-6
2.7.3.2	Geometry and Loads	April 2000	2-6
2.7.4	Structural Specifications and Guidelines	April 2000	2-7

Section 3 - Loads

Part A - Types of Loads

3.1	NOTATIONS	April 2000	3-1
3.2	GENERAL	April 2000	3-2
3.3	DEADLOAD	April 2000	3-3
3.4	LIVELOAD	April 2000	3-3
3.5	OVERLOAD PROVISIONS	April 2000	3-3
3.6	TRAFFIC LANES	April 2000	3-3
3.7	HIGHWAY LOADS	April 2000	3-4
3.7.1	Standard Truck and Lane Loads	April 2000	3-4
3.7.2	Classes of Loading	April 2000	3-4
3.7.3	Designation of Loadings	April 2000	3-4
3.7.4	Minimum Loading	April 2000	3-4
3.7.5	H Loading	April 2000	3-4
3.7.6	HS Loading	April 2000	3-4
3.7.7	P Loading	April 2000	3-6
3.8	IMPACT	April 2000	3-6
3.8.1	Application	April 2000	3-6
3.8.1.1	Group A-Impact Shall be Included	April 2000	3-6
3.8.1.2	Group B-Impact Shall Not be Included	April 2000	3-6
3.8.2	Impact Formula	April 2000	3-9
3.8.2.3	<i>For Culverts see "Section 6, Culverts"</i>	April 2000	3-9
3.9	LONGITUDINALFORCES	April 2000	3-9
3.10	CENTRIFUGALFORCES	April 2000	3-9

3.11	APPLICATION OF LIVE LOAD	April 2000	3-10
3.11.1	Traffic Lane Units	April 2000	3-10
3.11.2	Number and Position of Traffic Lane Units	April 2000	3-10
3.11.3	Lane Loads on Continuous Spans	April 2000	3-10
3.11.4	Loading for Maximum Stress	April 2000	3-10
3.11.4.3	Loading for Load Factor Design	April 2000	3-10
3.12	REDUCTION IN LOAD INTENSITY	April 2000	3-10
3.13	ELECTRIC RAILWAY LOADS	April 2000	3-10
3.14	SIDEWALK, CURB, AND RAILING LOADING	April 2000	3-10
3.14.1	Sidewalk Loading	April 2000	3-10
3.14.2	Curb Loading	April 2000	3-11
3.14.3	Railing Loading	April 2000	3-11
3.15	WIND LOADS	April 2000	3-11
3.15.1	Superstructure Design	April 2000	3-11
3.15.1.1	Group II and Group V Loadings	April 2000	3-11
3.15.1.2	Group III and Group VI Loadings	April 2000	3-11
3.15.2	Substructure Design	April 2000	3-12
3.15.2.1	Forces from Superstructure	April 2000	3-12
3.15.2.2	Forces Applied Directly to the Substructure	April 2000	3-12
3.15.3	Overturing Forces	April 2000	3-12
3.16	THERMAL FORCES	April 2000	3-13
3.17	UPLIFT	April 2000	3-13
3.18	FORCE FROM STREAM CURRENT, FLOATING ICE AND DRIFT	April 2000	3-13
3.18.1	Force of Stream Current on Piers	April 2000	3-13
3.18.1.1	Steam Pressure	April 2000	3-13
3.18.1.2	Pressure Components	April 2000	3-14
3.18.1.3	Drift Lodged Against Pier	April 2000	3-14
3.18.2	Force of Ice on Piers	April 2000	3-14
3.19	BUOYANCY	April 2000	3-14
3.20	EARTH PRESSURE	April 2000	3-14
3.21	EARTHQUAKES	April 2000	3-14

Part B - Combinations of Loads

3.22	COMBINATIONS OF LOADS	April 2000	3-15
------	-----------------------------	------------------	------

Part C - Distribution of Loads

3.23	DISTRIBUTION OF LOADS TO STRINGERS, LONGITUDINAL BEAMS, AND FLOOR BEAMS	April 2000	3-18
3.23.1	Position of Loads for Shear	April 2000	3-18
3.23.2	Bending Moments in Stringers and Longitudinal Beams ..	April 2000	3-18
3.23.2.1	General	April 2000	3-18
3.23.2.2	Interior Stringers and Beams	April 2000	3-18

3.23.2.3	Outside Roadway Stringers and Beams	April 2000	3-18
3.23.3	Bending Moments in Floor Beams (Transverse)	April 2000	3-20
3.23.4	Precast Concrete Beams Used in Multi-Beam Decks	April 2000	3-20
3.24	DISTRIBUTION OF LOADS AND DESIGN OF CONCRETE SLABS		3-22
3.24.1	Span Lengths	April 2000	3-22
3.24.2	Edge Distance of Wheel Loads	April 2000	3-22
3.24.3	Bending Moment	April 2000	3-22
3.24.3.1	Case A-Main Reinforcement Perpendicular to Traffic (Spans 2 to 24 Feet Inclusive)	April 2000	3-22
3.24.3.2	Case B-Main Reinforcement Parallel to Traffic	April 2000	3-23
3.24.4	Shear	April 2000	3-23
3.24.5	Cantilever Slabs	April 2000	3-23
3.24.5.1	Truck Loads	April 2000	3-23
3.24.5.2	Railing Loads	April 2000	3-23
3.24.6	Slabs Supported on Four Sides	April 2000	3-23
3.24.7	Median Slabs	April 2000	3-24
3.24.8	Longitudinal Edge Beams	April 2000	3-24
3.24.9	Unsupported Transverse Edges	April 2000	3-24
3.24.10	Distribution Reinforcement	April 2000	3-24
3.25	DISTRIBUTION OF WHEEL LOADS ON TIMBER FLOORING		3-24
3.25.1	Transverse Flooring	April 2000	3-24
3.25.2	Plank and Nail Laminated Longitudinal Flooring	April 2000	3-26
3.25.3	Longitudinal Glued Laminate Timber Deck	April 2000	3-26
3.25.3.1	Bending Moment	April 2000	3-26
3.25.3.2	Shear	April 2000	3-27
3.25.3.3	Deflections	April 2000	3-27
3.25.3.4	Stiffener Arrangement	April 2000	3-27
3.25.4	Continuous Flooring	April 2000	3-27
3.26	DISTRIBUTION OF WHEEL LOADS AND DESIGN OF COMPOSITE WOOD-CONCRETE MEMBERS		3-27
3.26.1	Distribution of Concentrated Loads for Bending Moment and Shear	April 2000	3-27
3.26.2	Distribution of Bending Moments in Continuous Spans ..	April 2000	3-27
3.26.3	Design	April 2000	3-28
3.27	DISTRIBUTION OF WHEEL LOADS ON STEEL GRID FLOORS		3-28
3.27.1	General	April 2000	3-28
3.27.2	Floors Filled with Concrete	April 2000	3-28
3.27.3	Open Floors	April 2000	3-28
3.28	DISTRIBUTION OF LOADS FOR BENDING MOMENT IN SPREAD BOX GIRDERS		3-29
3.28.1	Interior Beams	April 2000	3-29
3.28.2	Exterior Beams	April 2000	3-29
3.29	MOMENTS, SHEARS, AND REACTIONS		3-29
3.30	TIRE CONTACT AREA		3-29

Section 3 Commentary - Loads

3.10.4	Centrifugal Forces	April 2000	3-29
--------	--------------------------	------------------	------

Section 4 - Foundations

Part A - General Requirements and Materials

4.1	GENERAL	April 2000	4-1
4.2	FOUNDATION TYPE AND CAPACITY	April 2000	4-1
4.2.1	Selection of Foundation Type	April 2000	4-1
4.2.2	Foundation Capacity	April 2000	4-1
4.2.2.1	Bearing Capacity	April 2000	4-1
4.2.2.2	Settlement	April 2000	4-1
4.2.2.3	Overall Stability	April 2000	4-1
4.2.3	Soil, Rock, and Other Problem Conditions	April 2000	4-1
4.3	SUBSURFACE EXPLORATION AND TESTING PROGRAMS	April 2000	4-1
4.3.1	General Requirements	April 2000	4-2
4.3.2	Minimum Depth	April 2000	4-3
4.3.3	Minimum Coverage	April 2000	4-3
4.3.4	Laboratory Testing	April 2000	4-3
4.3.5	Scour	April 2000	4-3

Part B - Service Load Design Method Allowable Stress Design

4.4	SPREAD FOOTING	April 2000	4-4
4.4.1	General	April 2000	4-4
4.4.1.1	Applicability	April 2000	4-4
4.4.1.2	Footings Supporting Non-Rectangular Columns or Piers	April 2000	4-4
4.4.1.3	Footings in Fill	April 2000	4-4
4.4.1.4	Footings in Sloped Portions of Embankments	April 2000	4-4
4.4.1.5	Distribution of Bearing Pressure	April 2000	4-4
4.4.2	Notations	April 2000	4-4
4.4.3	Design Terminology	April 2000	4-6
4.4.4	Soil and Rock Property Selection	April 2000	4-6
4.4.5	Depth	April 2000	4-7
4.4.5.1	Minimum Embedment and Bench Width	April 2000	4-7
4.4.5.2	Scour Protection	April 2000	4-7
4.4.5.3	Footing Excavations	April 2000	4-8
4.4.5.4	Piping	April 2000	4-8
4.4.6	Anchorage	April 2000	4-8
4.4.7	Geotechnical Design on Soil	April 2000	4-8
4.4.7.1	Bearing Capacity	April 2000	4-8
4.4.7.2	Settlement	April 2000	4-17
4.4.7.3	<i>Deleted</i>	April 2000	4-21
4.4.8	Geotechnical Design on Rock	April 2000	4-21
4.4.8.1	Bearing Capacity	April 2000	4-22

4.4.8.2	Settlement	April 2000	4-23
4.4.9	Overall Stability	April 2000	4-26
4.4.10	<i>Deleted</i>	April 2000	4-27
4.4.11	Structural Design	April 2000	4-27
4.4.11.1	Loads and Reactions	April 2000	4-27
4.4.11.2	Moments	April 2000	4-27
4.4.11.3	Shear	April 2000	4-27
4.4.11.4	Development of Reinforcement	April 2000	4-28
4.4.11.5	Transfer of Force at Base of Column	April 2000	4-28
4.4.11.6	Unreinforced Concrete Footings	April 2000	4-29
4.5	DRIVEN PILES	April 2000	4-29
4.5.1	General	April 2000	4-29
4.5.1.1	Application	April 2000	4-29
4.5.1.2	Materials	April 2000	4-29
4.5.1.3	<i>Deleted</i>	April 2000	4-29
4.5.1.4	Lateral Tip Restraint	April 2000	4-29
4.5.1.5	Estimated Lengths	April 2000	4-29
4.5.1.6	Estimated and Minimum Tip Elevation	April 2000	4-29
4.5.1.7	<i>Deleted</i>	April 2000	4-29
4.5.1.8	Test Piles	April 2000	4-29
4.5.2	Pile Types	April 2000	4-29
4.5.2.1	Friction Piles	April 2000	4-30
4.5.2.2	End Bearing Piles	April 2000	4-30
4.5.2.3	Combination Friction and End Bearing Piles	April 2000	4-30
4.5.2.4	Batter Piles	April 2000	4-30
4.5.3	Notations	April 2000	4-30
4.5.4	Design Terminology	April 2000	4-30
4.5.5	Selection of Soil and Rock Properties	April 2000	4-30
4.5.6	Selection of Design Pile Capacity	April 2000	4-30
4.5.6.1	Ultimate Geotechnical Capacity	April 2000	4-30
4.5.6.2	Factor of Safety Selection	April 2000	4-32
4.5.6.3	<i>Deleted</i>	April 2000	4-32
4.5.6.4	Group Pile Loading	April 2000	4-32
4.5.6.5	Lateral Loads on Piles	April 2000	4-32
4.5.6.7	Vertical Ground Movement	April 2000	4-33
4.5.6.8	<i>Deleted</i>	April 2000	4-33
4.5.7	Structural Capacity of Pile Section	April 2000	4-33
4.5.7.1	Load Capacity Requirements	April 2000	4-33
4.5.7.2	Piles Extending Above Ground Surface	April 2000	4-34
4.5.7.3	Allowable Stresses in Piles	April 2000	4-34
4.5.7.4	<i>Deleted</i>	April 2000	4-35
4.5.7.5	Scour	April 2000	4-35
4.5.8	Protection Against Corrosion and Abrasion	April 2000	4-35
4.5.9	Wave Equation Analysis	April 2000	4-35
4.5.10	Dynamic Monitoring	April 2000	4-35
4.5.11	Maximum Allowable Driving Stresses	April 2000	4-35
4.5.12	Tolerable Movement	April 2000	4-35
4.5.13	Buoyancy	April 2000	4-35
4.5.14	Protection Against Deterioration	April 2000	4-35
4.5.14.1	Steel Piles	April 2000	4-35

4.5.14.2	Concrete Piles	April 2000	4-36
4.5.14.3	Timber Piles	April 2000	4-36
4.5.15	Spacing, Clearances, and Embedment	April 2000	4-36
4.5.15.1	Footings	April 2000	4-36
4.5.15.2	Bent Caps	April 2000	4-36
4.5.16	Precast Concrete Piles	April 2000	4-36
4.5.16.1	Size and Shape	April 2000	4-36
4.5.16.2	Minimum Area	April 2000	4-36
4.5.16.3	Minimum Diameter of Tapered Piles	April 2000	4-36
4.5.16.4	Driving Points	April 2000	4-36
4.5.16.5	Vertical Reinforcement	April 2000	4-36
4.5.16.6	Spiral Reinforcement	April 2000	4-37
4.5.16.7	Reinforcement Cover	April 2000	4-37
4.5.16.8	Splices	April 2000	4-37
4.5.16.9	Handling Stresses	April 2000	4-37
4.5.17	Cast-In-Place Concrete Piles	April 2000	4-37
4.5.17.1	Materials	April 2000	4-37
4.5.17.2	Shape	April 2000	4-37
4.5.17.3	Minimum Area	April 2000	4-37
4.5.17.4	General Reinforcement Requirements	April 2000	4-37
4.5.17.5	Reinforcement into Superstructure	April 2000	4-37
4.5.17.6	Shell Requirements	April 2000	4-37
4.5.17.7	Splices	April 2000	4-37
4.5.17.8	Reinforcement Cover	April 2000	4-38
4.5.17.9	Spacing Limitations	April 2000	4-38
4.5.18	Steel H-Piles	April 2000	4-38
4.5.18.1	Metal Thickness	April 2000	4-38
4.5.18.2	Splices	April 2000	4-38
4.5.18.3	Caps	April 2000	4-38
4.5.18.4	Lugs, Scabs, and Core-Stoppers	April 2000	4-38
4.5.18.5	Point Attachments	April 2000	4-38
4.5.19	Unfilled Tubular Steel Piles	April 2000	4-38
4.5.19.1	Metal Thickness	April 2000	4-38
4.5.19.2	Splices	April 2000	4-38
4.5.19.3	Driving	April 2000	4-38
4.5.19.4	Column Action	April 2000	4-38
4.5.20	Prestressed Concrete Piles	April 2000	4-38
4.5.20.1	Size and Shape	April 2000	4-38
4.5.20.2	Main Reinforcement	April 2000	4-39
4.5.20.3	Vertical Reinforcement	April 2000	4-39
4.5.20.4	Hollow Cylinder Piles	April 2000	4-39
4.5.20.5	Splices	April 2000	4-39
4.5.21	Timber Piles	April 2000	4-39
4.5.21.1	Materials	April 2000	4-39
4.5.21.2	Limitations on Untreated Timber Pile Use	April 2000	4-39
4.5.21.3	Limitations on Treated Timber Pile Use	April 2000	4-39
4.6	DRILLED SHAFTS	April 2000	4-39
4.6.1	General	April 2000	4-39
4.6.1.1	Application	April 2000	4-39
4.6.1.2	Materials	April 2000	4-40

4.6.1.3	Construction	April 2000	4-40
4.6.1.4	Embedment	April 2000	4-40
4.6.1.5	Shaft Diameter	April 2000	4-40
4.6.1.6	Batter Shafts	April 2000	4-40
4.6.1.7	Shafts Through Embankment Fill	April 2000	4-40
4.6.2	Notations	April 2000	4-40
4.6.3	Design Terminology	April 2000	4-41
4.6.4	Selection of Soil and Rock Properties	April 2000	4-41
4.6.4.1	Presumptive Values	April 2000	4-41
4.6.4.2	Measured Values	April 2000	4-42
4.6.5	Geotechnical Design	April 2000	4-42
4.6.5.1	Axial Capacity in Soil	April 2000	4-42
4.6.5.2	Factors Affecting Axial Capacity in Soil	April 2000	4-45
4.6.5.3	Axial Capacity in Rock	April 2000	4-47
4.6.5.4	Factors of Safety	April 2000	4-48
4.6.5.5	Deformation of Axially Loaded Shafts	April 2000	4-48
4.6.5.6	Lateral Loading	April 2000	4-50
4.6.5.7	<i>Deleted</i>	April 2000	4-52
4.6.6	Structural Design and General Shaft Dimensions	April 2000	4-52
4.6.6.1	General	April 2000	4-52
4.6.6.2	Reinforcement	April 2000	4-52
4.6.6.3	Enlarged Bases	April 2000	4-53
4.6.6.4	Center-to-Center Shaft Spacing	April 2000	4-53
4.6.7	Load Testing	April 2000	4-53
4.6.7.1	General	April 2000	4-53
4.6.7.2	Load Testing Procedures	April 2000	4-53
4.6.7.3	Load Test Method Selection	April 2000	4-54

Part C - Strength Design Method Load Factor Design

4.8	SCOPE	April 2000	4-54
4.9	DEFINITIONS	April 2000	4-54
4.10	LIMIT STATES, LOADFACTORS, AND RESISTANCEFACTORS	April 2000	4-55
4.10.1	General	April 2000	4-55
4.10.2	Serviceability Limit States	April 2000	4-55
4.10.3	Strength Limit States	April 2000	4-55
4.10.4	Strength Requirement	April 2000	4-55
4.10.5	Load Combinations and Load Factors	April 2000	4-55
4.10.6	Performance Factors	April 2000	4-56
4.11	SPREADFOOTINGS	April 2000	4-56
4.11.1	General Considerations	April 2000	4-56
4.11.1.1	General	April 2000	4-56
4.11.1.2	Depth	April 2000	4-56
4.11.1.3	Scour Protection	April 2000	4-56
4.11.1.4	Frost Action	April 2000	4-56
4.11.1.5	Anchorage	April 2000	4-56
4.11.1.6	Groundwater	April 2000	4-56
4.11.1.7	Uplift	April 2000	4-57

4.11.1.8	Deterioration	April 2000	4-57
4.11.1.9	Nearby Structures	April 2000	4-57
4.11.2	Notations	April 2000	4-57
4.11.3	Movement Under Serviceability Limit States	April 2000	4-57
4.11.3.1	General	April 2000	4-57
4.11.3.2	Loads	April 2000	4-57
4.11.3.3	Movement Criteria	April 2000	4-58
4.11.3.4	Settlement Analysis	April 2000	4-58
4.11.4	Safety Against Soil Failure	April 2000	4-58
4.11.4.1	Bearing Capacity of Foundation Soils	April 2000	4-58
4.11.4.2	Bearing Capacity of Foundations on Rock	April 2000	4-59
4.11.4.3	Failure by Sliding	April 2000	4-61
4.11.4.4	Loss of Overall Stability	April 2000	4-61
4.11.5	Structural Capacity	April 2000	4-61
4.11.6	Construction Considerations for Shallow Foundations	April 2000	4-61
4.11.6.1	General	April 2000	4-61
4.11.6.2	Excavation Monitoring	April 2000	4-61
4.11.6.3	Compaction Monitoring	April 2000	4-61
4.12	DRIVEN PILES	April 2000	4-61
4.12.1	General	April 2000	4-61
4.12.2	Notations	April 2000	4-61
4.12.3	Selection of Design Pile Capacity	April 2000	4-63
4.12.3.1	Factors Affecting Axial Capacity	April 2000	4-63
4.12.3.2	Movement Under Serviceability Limit State	April 2000	4-64
4.12.3.3	Resistance at Strength Limit States	April 2000	4-64
4.12.4	Structural Design	April 2000	4-67
4.12.4.1	Buckling of Piles	April 2000	4-67
4.12.5	<i>Deleted</i>	April 2000	4-67
4.13	DRILLED SHAFTS	April 2000	4-67
4.13.1	General	April 2000	4-67
4.13.2	Notations	April 2000	4-67
4.13.3	Geotechnical Design	April 2000	4-68
4.13.3.1	Factors Affecting Axial Capacity	April 2000	4-68
4.13.3.2	Movement Under Serviceability Limit State	April 2000	4-69
4.13.3.3	Resistance at Strength Limit States	April 2000	4-69
4.13.4	Structural Design	April 2000	4-70
4.13.4.1	Buckling of Drilled Shafts	April 2000	4-70

Section 5 - To be distributed at a later time.

Section 6 - Culverts

6.1	CULVERT LOCATION, LENGTH, AND WATERWAY OPENINGS	April 2000	6-1
6.2	DEADLOADS	April 2000	6-1
6.2.1	Culvert in Trench, or Culvert Untrenched on Yielding Foundation	April 2000	6-1
6.2.2	Culvert Untrenched on Unyielding Foundation	April 2000	6-1

6.3	LIVELOADS	April 2000	6-1
6.4	FOOTINGS	April 2000	6-1
6.5	DISTRIBUTION OF WHEEL LOADS THROUGH HEARTH FILLS	April 2000	6-1
6.6	DESIGN	April 2000	6-2

Section 7 - Substructures

Part A - General Requirements and Materials

7.1	GENERAL	April 2000	7-1
7.1.1	Definition	April 2000	7-1
7.1.2	Loads	April 2000	7-1
7.1.3	Settlement	April 2000	7-1
7.1.4	Foundation and Retaining Wall Design	April 2000	7-1
7.2	NOTATIONS	April 2000	7-1

Part B - Service Load Design Method Allowable Stress Design

7.3	PIERS	April 2000	7-1
7.3.1	Pier Types	April 2000	7-1
7.3.1.1	Pier Walls	April 2000	7-1
7.3.1.2	Double Wall Piers	April 2000	7-1
7.3.1.3	Bents	April 2000	7-1
7.3.1.4	<i>Deleted</i>	April 2000	7-2
7.3.2	Pier Protection	April 2000	7-2
7.3.2.1	Collision	April 2000	7-2
7.3.2.2	Collision Walls	April 2000	7-2
7.3.2.3	Scour	April 2000	7-2
7.3.2.4	Facing	April 2000	7-2
7.4	TUBULAR PIERS	April 2000	7-2
7.4.1	Materials	April 2000	7-2
7.4.2	Configuration	April 2000	7-2
7.5	ABUTMENTS	April 2000	7-2
7.5.1	Abutment Types	April 2000	7-2
7.5.1.1	Seat Type Abutment	April 2000	7-2
7.5.1.2	Partial-Depth Abutment	April 2000	7-2
7.5.1.3	Full-Depth Abutment	April 2000	7-2
7.5.1.4	Diaphragm Abutment	April 2000	7-2
7.5.2	Loading	April 2000	7-2
7.5.2.1	Stability	April 2000	7-3
7.5.2.2	Reinforcement for Temperature	April 2000	7-3
7.5.2.3	Drainage and Backfilling	April 2000	7-3
7.5.3	Diaphragm Abutments	April 2000	7-3
7.5.4	<i>Deleted</i>	April 2000	7-3
7.5.5	<i>Deleted</i>	April 2000	7-3
7.5.6	Wingwalls	April 2000	7-3
7.5.6.1	Length	April 2000	7-3



7.5.6.2	Reinforcement	April 2000	7-3
---------	---------------------	------------------	-----

Part C - Strength Design Method Load Factor Design

7.6	<i>Deleted</i>	April 2000	7-3
-----	----------------------	------------------	-----

Section 8 - Reinforced Concrete**Part A - General Requirements and Materials**

8.1	APPLICATION	April 2000	8-1
8.1.1	General	April 2000	8-1
8.1.2	Notations	April 2000	8-1
8.1.3	Definitions	April 2000	8-4
8.2	CONCRETE	April 2000	8-5
8.3	REINFORCEMENT	April 2000	8-5

Part B - Analysis

8.4	GENERAL	April 2000	8-6
8.5	EXPANSION AND CONTRACTION	April 2000	8-6
8.6	STIFFNESS	April 2000	8-6
8.7	MODULUS OF ELASTICITY AND POISSON'S RATIO	April 2000	8-6
8.8	SPAN LENGTH	April 2000	8-6
8.9	CONTROL OF DEFLECTIONS	April 2000	8-7
8.9.1	General	April 2000	8-7
8.9.2	Superstructure Depth Limitations	April 2000	8-7
8.9.3	Superstructure Deflection Limitations	April 2000	8-7
8.10	COMPRESSION FLANGE WIDTH	April 2000	8-7
8.10.1	T-Girder	April 2000	8-7
8.10.2	Box Girders	April 2000	8-7
8.11	SLABS AND WEB THICKNESS	April 2000	8-8
8.12	DIAPHRAGMS	April 2000	8-8
8.13	COMPUTATION OF DEFLECTIONS	April 2000	8-8

Part C - Design

8.14	GENERAL	April 2000	8-9
8.14.1	Design Methods	April 2000	8-9
8.14.2	Composite Flexural Members	April 2000	8-9
8.14.3	Concrete Arches	April 2000	8-9
8.15	SERVICE LOAD DESIGN METHOD (ALLOWABLE STRESS DESIGN)	April 2000	8-10
8.15.1	General Requirements	April 2000	8-10

8.15.2	Allowable Stresses	April 2000	8-10
8.15.2.1	Concrete.....	April 2000	8-10
8.15.2.2	Reinforcement	April 2000	8-11
8.15.3	Flexure	April 2000	8-11
8.15.4	Compression Members	April 2000	8-11
8.15.5	Shear	April 2000	8-11
8.15.5.1	Shear Stress	April 2000	8-11
8.15.5.2	Shear Stress Carried by Concrete	April 2000	8-12
8.15.5.3	Shear Stress Carried by Shear Reinforcement	April 2000	8-12
8.15.5.4	Shear Friction	April 2000	8-13
8.15.5.5	Horizontal Shear Design for Composite Concrete Flexural Members	April 2000	8-14
8.15.5.6	Special Provisions for Slabs and Footings	April 2000	8-15
8.15.5.7	<i>Deleted</i>	April 2000	8-15
8.15.5.8	Special Provisions for Brackets and Corbels	April 2000	8-15
8.16	STRENGTH DESIGN METHOD		
	(LOAD FACTOR DESIGN)	April 2000	8-16
8.16.1	Strength Requirements	April 2000	8-16
8.16.1.1	Required Strength	April 2000	8-16
8.16.1.2	Design Strength	April 2000	8-16
8.16.2	Design Assumptions	April 2000	8-17
8.16.3	Flexure	April 2000	8-17
8.16.3.1	Maximum Reinforcement of Flexural Members	April 2000	8-17
8.16.3.2	Rectangular Sections with Tension Reinforcement Only	April 2000	8-17
8.16.3.3	Flanged Sections with Tension Reinforcement Only	April 2000	8-18
8.16.3.4	Rectangular Sections with Compression Reinforcement	April 2000	8-18
8.16.3.5	Flanged Sections with Compression Reinforcement	April 2000	8-19
8.16.3.6	Other Cross Sections	April 2000	8-19
8.16.4	Compression Members	April 2000	8-19
8.16.4.1	General Requirements	April 2000	8-19
8.16.4.2	Compression Member Strengths	April 2000	8-20
8.16.4.3	Biaxial Loading	April 2000	8-20
8.16.4.4	Hollow Rectangular Compression Members	April 2000	8-20
8.16.4.5	Probable Plastic Moment	April 2000	8-21
8.16.4.6	Special Provisions for Column and Pier Wall Hinges ...	April 2000	8-21
8.16.5	Slenderness Effects in Compression Members	April 2000	8-22
8.16.5.1	General Requirements	April 2000	8-22
8.16.5.2	Approximate Evaluation of Slenderness Effects	April 2000	8-22
8.16.6	Shear	April 2000	8-24
8.16.6.1	Shear Strength	April 2000	8-24
8.16.6.2	Shear Strength Provided by Concrete	April 2000	8-24
8.16.6.3	Shear Strength Provided by Shear Reinforcement	April 2000	8-25
8.16.6.4	Shear Friction	April 2000	8-25
8.16.6.5	Horizontal Shear Strength for Composite Concrete Flexural Members	April 2000	8-26
8.16.6.6	Special Provisions for Slabs and Footings	April 2000	8-27
8.16.6.7	Special Provisions for Box Culverts	April 2000	8-28
8.16.6.8	Special Provisions for Brackets and Corbels	April 2000	8-28

8.16.6.9	Special Provision for Pier Walls	April 2000	8-29
8.16.6.10	Compression Member Connection to Caps.....	April 2000	8-29
8.16.6.11	Special Seismic Provisions for Columns, Pier Walls and Piles	April 2000	8-29
8.16.7	Bearing Strength	April 2000	8-30
8.16.8	Serviceability Requirements	April 2000	8-30
8.16.8.1	Application	April 2000	8-30
8.16.8.2	Service Load Stresses	April 2000	8-30
8.16.8.3	Fatigue Stress Limits	April 2000	8-30
8.16.8.4	Distribution of Flexural Reinforcement	April 2000	8-31

Part D - Reinforcement

8.17	REINFORCEMENT OFFLEXURAL MEMBERS	April 2000	8-31
8.17.1	Minimum Reinforcement	April 2000	8-31
8.17.2	Distribution of Reinforcement	April 2000	8-31
8.17.2.1	Flexural Tension Reinforcement in Zones of Maximum Tension	April 2000	8-31
8.17.2.2	Transverse Deck Slab Reinforcement in T-Girders and Box Girders	April 2000	8-32
8.17.2.3	Bottom Slab Reinforcement for Box Girders	April 2000	8-32
8.17.3	Lateral Reinforcement of Flexural Members	April 2000	8-32
8.17.4	Reinforcement for Hollow Rectangular Compression Members	April 2000	8-33
8.18	REINFORCEMENT OF COMPRESSION MEMBERS	April 2000	8-33
8.18.1	Maximum and Minimum Longitudinal Reinforcement	April 2000	8-33
8.18.2	Lateral Reinforcement	April 2000	8-34
8.18.2.1	General	April 2000	8-34
8.18.2.2	Spiral or Hoops	April 2000	8-34
8.18.2.3	Ties	April 2000	8-35
8.18.2.4	<i>Deleted</i>	April 2000	8-36
8.19	LIMITS FOR SHEAR REINFORCEMENT	April 2000	8-36
8.19.1	Minimum Shear Reinforcement	April 2000	8-36
8.19.2	Types of Shear Reinforcement	April 2000	8-36
8.19.3	Spacing of Shear Reinforcement	April 2000	8-36
8.20	SHRINKAGE AND TEMPERATURE REINFORCEMENT	April 2000	8-36
8.21	SPACING LIMITS FOR REINFORCEMENT	April 2000	8-36
8.22	PROTECTION AGAINST CORROSION	April 2000	8-37
8.23	HOOKS AND BENDS	April 2000	8-40
8.23.1	Standard Hooks	April 2000	8-40
8.23.2	Minimum Bend Diameters	April 2000	8-40
8.24	DEVELOPMENT OFFLEXURAL REINFORCEMENT	April 2000	8-40
8.24.1	General	April 2000	8-40
8.24.2	Positive Moment Reinforcement	April 2000	8-41
8.24.3	Negative Moment Reinforcement	April 2000	8-41
8.25	DEVELOPMENT OF DEFORMED BARS AND DEFORMED WIRE IN TENSION	April 2000	8-41

8.26	DEVELOPMENT OF DEFORMED BARS IN COMPRESSION	April 2000	8-42
8.27	DEVELOPMENT OF SHEAR REINFORCEMENT	April 2000	8-43
8.28	DEVELOPMENT OF BUNDLED BARS	April 2000	8-43
8.29	DEVELOPMENT OF STANDARD HOOKS IN TENSION	April 2000	8-43
8.29.3.1	Bar Yield Strength	April 2000	8-44
8.29.3.2	Concrete Cover	April 2000	8-44
8.29.3.3	Ties or Stirrups	April 2000	8-44
8.29.3.4	Excess Reinforcement	April 2000	8-44
8.30	DEVELOPMENT OF WELDED WIRE FABRIC INTENSION	April 2000	8-45
8.30.1	Deformed Wire Fabric	April 2000	8-45
8.30.2	Smooth Wire Fabric	April 2000	8-46
8.31	MECHANICAL ANCHORAGE	April 2000	8-46
8.32	SPLICES OF REINFORCEMENT	April 2000	8-46
8.32.1	Lap Splices	April 2000	8-46
8.32.2	Welded Splices and Mechanical Connections	April 2000	8-46
8.32.2.2	<i>Deleted</i>	April 2000	8-46
8.32.2.3	<i>Deleted</i>	April 2000	8-46
8.32.2.4	<i>Deleted</i>	April 2000	8-46
8.32.3	Splices of Deformed Bars and Deformed Wire in Tension ..	April 2000	8-46
8.32.3.3	<i>Deleted</i>	April 2000	8-47
8.32.3.4	<i>Deleted</i>	April 2000	8-47
8.32.4	Splices of Bars in Compression	April 2000	8-47
8.32.4.1	Lap Splices in Compression	April 2000	8-47
8.32.4.2	<i>Deleted</i>	April 2000	8-47
8.32.4.3	<i>Deleted</i>	April 2000	8-47
8.32.5	Splices of Welded Deformed Wire Fabric in Tension	April 2000	8-47
8.32.6	Splices of Welded Smooth Wire Fabric in Tension	April 2000	8-47
8.32.6.1	<i>Deleted</i>	April 2000	8-47
8.32.6.2	<i>Deleted</i>	April 2000	8-47

Section 8 Commentary - Reinforced Concrete

8.15.5.6	Special Provisions for Slabs and Footings	April 2000	8-48
8.16.1.2	Design Strength	April 2000	8-49
8.16.3.5	Flanged Sections with Compression Reinforcement	April 2000	8-49
8.16.4.4	Probable Plastic Moment	April 2000	8-49
8.16.4.5	Special Provisions for Column and Pier Wall Hinges	April 2000	8-52
8.16.6.6	Special Provisions for Slabs and Footings	April 2000	8-52
8.16.6.7	Special Provisions for Box Culverts	April 2000	8-52
8.16.8.4	Distribution of Flexural Reinforcement	April 2000	8-52
8.16.6.9	Special Provision for Pier Walls	April 2000	8-52
8.16.6.10	Compression Member Connection to Caps	April 2000	8-53
8.16.6.11	Special Seismic Provision for Columns, Pier Walls and Piles	April 2000	8-54
8.18.1.4	Interlocking Spirals	April 2000	8-54

8.18.2.2	Spiral Reinforcement	April 2000	8-54
8.18.2.3	Ties	April 2000	8-56
8.21	SPACING LIMITS FOR REINFORCEMENT	April 2000	8-57
8.22	PROTECTION AGAINST CORRISION	April 2000	8-57

Section 9 - Prestressed Concrete

Part A - General Requirements and Materials

9.1	APPLICATION	April 2000	9-1
9.1.1	General	April 2000	9-1
9.1.2	Notations	April 2000	9-1
9.1.3	Definitions	April 2000	9-3
9.2	CONCRETE	April 2000	9-4
9.3	REINFORCEMENT	April 2000	9-4
9.3.1	Prestressing Steel.....	April 2000	9-4
9.3.2	Non-Prestressed Reinforcement	April 2000	9-4

Part B - Analysis

9.4	GENERAL	April 2000	9-5
9.5	EXPANSION AND CONTRACTION	April 2000	9-5
9.6	SPANLENGTH	April 2000	9-5
9.7	FRAMES AND CONTINUOUS CONSTRUCTION	April 2000	9-5
9.7.1	Cast-in-Place Post-Tensioned Bridges	April 2000	9-5
9.7.2	Bridges Composed of Simple-Span Precast Prestressed Girders Made Continuous	April 2000	9-5
9.7.2.1	General	April 2000	9-5
9.7.2.2	Positive Moment Connection at Piers	April 2000	9-5
9.7.2.3	Negative Moments	April 2000	9-5
9.7.3	Segmental Box Girders	April 2000	9-5
9.7.3.1	General	April 2000	9-5
9.7.3.2	Flexure	April 2000	9-6
9.7.3.3	Torsion	April 2000	9-6
9.8	EFFECTIVE FLANGE WIDTH	April 2000	9-6
9.8.1	T-Beams	April 2000	9-6
9.8.2	Box Girders	April 2000	9-6
9.8.3	Precast/Prestressed Concrete Beams with Wide Top Flanges	April 2000	9-6
9.9	FLANGE AND WEB THICKNESS - BOX GIRDERS	April 2000	9-6
9.9.1	Top Flange	April 2000	9-6
9.9.2	Bottom Flange	April 2000	9-7
9.9.3	Web	April 2000	9-7
9.10	DIAPHRAGMS	April 2000	9-7

9.10.1	General	April 2000	9-7
9.10.2	T-Beams, Precast I and Bulb-tee Girders	April 2000	9-7
9.10.3	Box Girders	April 2000	9-7
9.11	DEFLECTIONS	April 2000	9-7
9.11.1	General	April 2000	9-7
9.11.2	Segmental Box Girders	April 2000	9-7
9.11.3	Superstructure Deflection Limitations	April 2000	9-7
9.12	DECK PANELS	April 2000	9-7
9.12.1	General	April 2000	9-7
9.12.2	Bending Moment	April 2000	9-8

Part C - Design

9.13	GENERAL	April 2000	9-9
9.13.1	Design Theory and General Considerations	April 2000	9-9
9.13.2	Basic Assumptions	April 2000	9-9
9.13.3	Composite Flexural Members	April 2000	9-9
9.14	LOADFACTORS	April 2000	9-9
9.15	ALLOWABLE STRESSES	April 2000	9-9
9.15.1	Prestressing Steel	April 2000	9-10
9.15.2	Concrete	April 2000	9-10
9.15.2.1	Temporary Stresses Before Losses Due to Creep and Shrinkage	April 2000	9-10
9.15.2.2	Stress at Service Load After Losses Have Occurred	April 2000	9-10
9.15.2.3	Cracking Stress (Refer to Article 9.18)	April 2000	9-10
9.15.2.4	Anchorage Bearing Stress	April 2000	9-11
9.16	LOSS OF PRESTRESS	April 2000	9-11
9.16.1	Friction Losses	April 2000	9-11
9.16.2	Prestress Losses	April 2000	9-11
9.16.2.1	General	April 2000	9-11
9.16.2.2	Estimated Losses	April 2000	9-14
9.17	FLEXURAL STRENGTH	April 2000	9-14
9.17.1	General	April 2000	9-14
9.17.2	Rectangular Sections	April 2000	9-14
9.17.3	Flanged Sections	April 2000	9-15
9.17.4	Steel Stress	April 2000	9-15
9.18	DUCTILITY LIMITS	April 2000	9-16
9.18.1	Maximum Prestressing Steel	April 2000	9-16
9.18.2	Minimum Steel	April 2000	9-16
9.19	NON-PRESTRESSED REINFORCEMENT	April 2000	9-16
9.20	SHEAR	April 2000	9-17
9.20.1	General	April 2000	9-17
9.20.2	Shear Strength Provided by Concrete	April 2000	9-17
9.20.3	Shear Strength Provided by Web Reinforcement	April 2000	9-18
9.20.4	Horizontal Shear Design - Composite Flexural Members	April 2000	9-18

9.21	POST-TENSIONED ANCHORAGE ZONES	April 2000	9-19
9.21.1	Geometry of the Anchorage Zone	April 2000	9-19
9.21.2	General Zone and Local Zone	April 2000	9-19
9.21.2.1	General Zone	April 2000	9-19
9.21.2.2	Local Zone	April 2000	9-19
9.21.2.3	Responsibilities	April 2000	9-19
9.21.3	General Zone and Local Zone	April 2000	9-20
9.21.3.1	Design Methods	April 2000	9-20
9.21.3.2	Nominal Material Strengths	April 2000	9-20
9.21.3.3	Use of Special Anchorage Devices	April 2000	9-20
9.21.3.4	General Design Principles and Detailing Requirements	April 2000	9-20
9.21.3.5	Intermediate Anchorages	April 2000	9-21
9.21.3.6	Diaphragms	April 2000	9-22
9.21.3.7	Multiple Slab Anchorages	April 2000	9-22
9.21.4	Application to Strut-and-Tie Models to the Design of Anchorage Zones	April 2000	9-23
9.21.4.1	General	April 2000	9-23
9.21.4.2	Nodes	April 2000	9-23
9.21.4.3	Struts	April 2000	9-23
9.21.4.4	Ties	April 2000	9-24
9.21.5	Elastic Stress Analysis	April 2000	9-24
9.21.6	Approximate Methods	April 2000	9-24
9.21.6.1	Limitations	April 2000	9-24
9.21.6.2	Compressive Stresses	April 2000	9-24
9.21.6.3	Bursting Forces	April 2000	9-25
9.21.6.4	Edge-Tension Forces	April 2000	9-25
9.21.7	Design of the Local Zone	April 2000	9-25
9.21.7.1	Dimensions of the Local Zone	April 2000	9-25
9.21.7.2	Bearing Strength	April 2000	9-26
9.21.7.3	Deleted	April 2000	9-27
9.22	PRETENSIONED ANCHORAGE ZONES	April 2000	9-27
9.23	CONCRETE STRENGTH AT STRESS TRANSFER	April 2000	9-27
9.24	DECK PANELS	April 2000	9-27

Part D - Detailing

9.25	FLANGE REINFORCEMENT	April 2000	9-28
9.26	COVER AND SPACING OF STEEL	April 2000	9-28
9.26.1	Minimum Cover	April 2000	9-28
9.26.2	Minimum Spacing	April 2000	9-28
9.26.3	Bundling	April 2000	9-28
9.26.4	Size of Ducts	April 2000	9-28
9.27	POST-TENSIONING ANCHORAGES AND COUPLERS	April 2000	9-28
9.28	EMBEDMENT OF PRESTRESSED STRAND	April 2000	9-29
9.29	BEARINGS	April 2000	9-29



Section 10 - Structural Steel

Part A - General Requirements and Materials

10.1	APPLICATION	April 2000	10-1
10.1.1	General	April 2000	10-1
10.1.2	Notations	April 2000	10-1
10.1.3	Definition	April 2000	10-7
10.2	MATERIALS	April 2000	10-9
10.2.1	General	April 2000	10-9
10.2.2	Structural Steels	April 2000	10-9
10.2.3	Steels for Pins, Rollers, and Expansion Rockers	April 2000	10-9
10.2.4	Fasteners	April 2000	10-9
10.2.5	Weld Metal	April 2000	10-9
10.2.6	Cast Steel, Ductile Iron Castings, Malleable Castings and Cast Iron	April 2000	10-12
10.2.6.1	Cast Steel and Ductile Iron	April 2000	10-12
10.2.6.2	Malleable Castings	April 2000	10-12
10.2.6.3	Cast Iron	April 2000	10-12

Part B - Design Details

10.3	REPETITIVELOADING AND TOUGHNESS CONSIDERATIONS	April 2000	10-13
10.3.1	Allowable Fatigue Stress Range	April 2000	10-13
10.3.2	Load Cycles	April 2000	10-19
10.3.3	Charpy V-Notch Impact Requirements	April 2000	10-19
10.3.4	Shear	April 2000	10-19
10.3.5	Loading	April 2000	10-19
10.4	EFFECTIVELLENGTH OF SPAN	April 2000	10-19
10.5	DEPTH RATIOS	April 2000	10-20
10.6	DEFLECTION	April 2000	10-20
10.7	LIMITING LENGTHS OF MEMBERS	April 2000	10-20
10.8	MINIMUM THICKNESS OF METAL	April 2000	10-21
10.9	EFFECTIVE NET AREA FOR TENSION MEMBERS	April 2000	10-21
10.10	OUTSTANDING LEGS OF ANGLES	April 2000	10-22
10.11	EXPANSION AND CONTRACTION	April 2000	10-22
10.12	MEMBERS	April 2000	10-22
10.12.1	Flexural Members	April 2000	10-22
10.12.2	Compression Members	April 2000	10-22
10.12.3	Tension Members	April 2000	10-22
10.13	COVERPLATES	April 2000	10-22
10.14	CAMBER	April 2000	10-23

10.15	HEAT-CURVED ROLLED BEAMS AND WELDED PLATE GIRDERS	April 2000	10-23
10.15.1	Scope	April 2000	10-23
10.15.2	Minimum Radius of Curvature	April 2000	10-23
10.15.3	Camber	April 2000	10-24
10.16	TRUSSES	April 2000	10-24
10.16.1	General	April 2000	10-24
10.16.2	Truss Members	April 2000	10-24
10.16.3	Secondary Stresses	April 2000	10-25
10.16.4	Diaphragms	April 2000	10-25
10.16.5	Camber	April 2000	10-25
10.16.6	Working Lines and Gravity Axes	April 2000	10-25
10.16.7	Portal and Sway Bracing	April 2000	10-25
10.16.8	Perforated Cover Plates	April 2000	10-26
10.16.9	Stay Plates	April 2000	10-26
10.16.10	Lacing Bars	April 2000	10-26
10.16.11	Gusset Plates	April 2000	10-27
10.16.12	Half-Through Truss Spans	April 2000	10-27
10.16.13	Fastener Pitch in Ends of Compression Members	April 2000	10-27
10.16.14	Net Section of Riveted or High-Strength Bolted Tension Members	April 2000	10-27
10.17	BENTS AND TOWERS	April 2000	10-28
10.17.1	General	April 2000	10-28
10.17.2	Single Bents	April 2000	10-28
10.17.3	Batter	April 2000	10-28
10.17.4	Bracing	April 2000	10-28
10.17.5	Bottom Struts	April 2000	10-28
10.18	SPLICES	April 2000	10-28
10.18.1	General	April 2000	10-28
10.18.2	Flexural Members	April 2000	10-29
10.18.3	Compression Members	April 2000	10-29
10.18.4	Tension Members	April 2000	10-29
10.18.5	Welding Splices	April 2000	10-30
10.18.6	<i>Deleted</i>	April 2000	10-30
10.19	CONNECTIONS	April 2000	10-31
10.19.1	General	April 2000	10-31
10.19.2	End Connections of Floor Beams and Stringers	April 2000	10-31
10.19.3	End Connections of Diaphragms and Cross Frames	April 2000	10-31
10.19.4	Block Shear Rupture Strength	April 2000	10-31
10.19.4.1	General	April 2000	10-31
10.19.4.2	Allowable Block Shear Rupture Stress	April 2000	10-31
10.19.4.3	Design Block Shear Rupture Strength	April 2000	10-32
10.20	DIAPHRAGMS AND CROSS FRAMES	April 2000	10-32
10.20.1	General	April 2000	10-32
10.20.2	Horizontal Force	April 2000	10-32
10.20.3	<i>Deleted</i>	April 2000	10-32
10.21	LATERAL BRACING	April 2000	10-32

10.22	CLOSED SECTIONS AND POCKETS	April 2000	10-33
10.23	WELDING	April 2000	10-33
10.23.1	General	April 2000	10-33
10.23.2	Effective Size of Fillet Welds	April 2000	10-34
10.23.2.1	Maximum Size of Fillet Welds	April 2000	10-34
10.23.2.2	Minimum Size of Fillet Welds	April 2000	10-34
10.23.3	Minimum Effective Length of Fillet Welds	April 2000	10-34
10.23.4	Fillet Weld End Returns	April 2000	10-34
10.23.5	Seal Welds	April 2000	10-34
10.24	FASTENERS	April 2000	10-34
10.24.1	General	April 2000	10-34
10.24.2	Hole Types	April 2000	10-35
10.24.3	Washer Requirements	April 2000	10-36
10.24.4	Size of Fasteners (Rivets or High-Strength Bolts)	April 2000	10-36
10.24.5	Spacing of Fasteners	April 2000	10-37
10.24.5.1	Pitch and Gage of Fasteners	April 2000	10-37
10.24.5.2	Minimum Spacing of Fasteners	April 2000	10-37
10.24.5.3	Minimum Clear Distance Between Holes	April 2000	10-37
10.24.5.4	Maximum Spacing of Fasteners	April 2000	10-37
10.24.6	Maximum Spacing of Sealing and Stitch Fasteners	April 2000	10-37
10.24.6.1	Sealing Fasteners	April 2000	10-37
10.24.6.2	Stitch Fasteners	April 2000	10-37
10.24.7	Edge Distance of Fasteners	April 2000	10-38
10.24.7.1	General	April 2000	10-38
10.24.8	Long Rivets	April 2000	10-38
10.25	LINKS AND HANGERS	April 2000	10-38
10.25.1	Net Section	April 2000	10-38
10.25.2	Location of Pins	April 2000	10-38
10.25.3	Size of Pins	April 2000	10-38
10.25.4	Pin Plates	April 2000	10-38
10.25.5	Pins and Pin Nuts	April 2000	10-39
10.26	UPSET ENDS	April 2000	10-39
10.27	EYEBARS	April 2000	10-39
10.27.1	Thickness and Net Section	April 2000	10-39
10.27.2	Packing of Eyebars	April 2000	10-39
10.28	FORKED ENDS	April 2000	10-39
10.29	FIXED AND EXPANSION BEARINGS	April 2000	10-39
10.29.1	General	April 2000	10-39
10.29.2	<i>Deleted</i>	April 2000	10-39
10.29.3	<i>Deleted</i>	April 2000	10-39
10.29.4	Sole Plate and Masonry Plates	April 2000	10-39
10.29.5	Masonry Bearings	April 2000	10-40
10.29.6	Anchor Rods	April 2000	10-40
10.29.7	Pedestals and Shoes	April 2000	10-40
10.30	FLOOR SYSTEM	April 2000	10-40
10.30.1	Stringers	April 2000	10-40
10.30.2	Floor Beams	April 2000	10-40

10.30.3	Cross Frames	April 2000	10-40
10.30.4	Expansion Joints	April 2000	10-41
10.30.5	End Floor Beams	April 2000	10-41
10.30.6	End Panel of Skewed Bridges	April 2000	10-41
10.30.7	Sidewalk Brackets	April 2000	10-41
10.30.8	Stay-in-Place Deck Forms	April 2000	10-41
10.30.8.1	Concrete Deck Panels	April 2000	10-41
10.30.8.2	Metal Stay-in-Place Forms	April 2000	10-41

Part C - Service Load Design Method - Allowable Stress Design

10.31	SCOPE	April 2000	10-42
10.32	ALLOWABLE STRESSES	April 2000	10-42
10.32.1	Steel	April 2000	10-42
10.32.2	Weld Metal	April 2000	10-42
10.32.3	Fasteners	April 2000	10-42
10.32.3.1	General	April 2000	10-42
10.32.3.3	Applied Tension, Combined Tension and Shear	April 2000	10-48
10.32.3.4	Fatigue	April 2000	10-49
10.32.4	Pins, Rollers, and Expansion Rockers	April 2000	10-49
10.32.5	Cast Steel, Ductile Iron Castings, Malleable Castings, and Cast Iron	April 2000	10-50
10.32.5.1	Cast Steel and Ductile Iron	April 2000	10-50
10.32.5.2	Malleable Castings	April 2000	10-50
10.32.5.3	Cast Iron	April 2000	10-50
10.32.5.4	Deleted	April 2000	10-50
10.32.5.6	Bearing on Masonry	April 2000	10-51
10.33	ROLLED BEAMS	April 2000	10-51
10.33.1	General	April 2000	10-51
10.33.2	Bearing Stiffeners	April 2000	10-51
10.34	PLATE GIRDERS	April 2000	10-51
10.34.1	General	April 2000	10-51
10.34.2	Flanges	April 2000	10-52
10.34.2.1	Welded Girders	April 2000	10-52
10.34.2.2	Riveted or Bolted Girders	April 2000	10-54
10.34.3	Web Plates	April 2000	10-54
10.34.3.1	Girders Not Stiffened Longitudinally	April 2000	10-54
10.34.3.2	Girders Stiffened Longitudinally	April 2000	10-54
10.34.4	Transverse Intermediate Stiffeners	April 2000	10-54
10.34.5	Longitudinal Stiffeners	April 2000	10-58
10.34.6	Bearing Stiffeners	April 2000	10-59
10.34.6.1	Welded Girders	April 2000	10-59
10.34.6.2	Riveted or Bolted Girders	April 2000	10-59
10.35	TRUSSES	April 2000	10-60
10.35.1	Perforated Cover Plates and Lacing Bars	April 2000	10-60
10.35.2	Compression Members	April 2000	10-60
10.36	COMBINED STRESSES	April 2000	10-62

10.37	SOLID RIB ARCHES	April 2000	10-63
10.37.1	Moment Amplification and Allowable Stress	April 2000	10-63
10.37.2	Web Plates	April 2000	10-64
10.37.3	Flange Plates	April 2000	10-64
10.38	COMPOSITE BEAMS AND GIRDERS	April 2000	10-66
10.38.1	General	April 2000	10-66
10.38.2	Shear Connectors	April 2000	10-66
10.38.3	Effective Flange Width	April 2000	10-67
10.38.4	Stresses	April 2000	10-67
10.38.5	Shear	April 2000	10-67
10.38.5.1	Horizontal Shear	April 2000	10-67
10.38.5.2	Vertical Shear	April 2000	10-70
10.38.6	Deflection	April 2000	10-70
10.39	COMPOSITE BOX GIRDERS	April 2000	10-70
10.39.1	General	April 2000	10-70
10.39.2	Lateral Distribution of Loads for Bending Moment	April 2000	10-70
10.39.3	Web Plates	April 2000	10-71
10.39.3.1	Vertical Shear	April 2000	10-71
10.39.3.2	Secondary Bending Stresses	April 2000	10-71
10.39.4	Bottom Flange Plates	April 2000	10-71
10.39.4.1	General	April 2000	10-71
10.39.4.2	Compression Flanges Unstiffened	April 2000	10-71
10.39.4.3	Compression Flanges Stiffened Longitudinally	April 2000	10-72
10.39.4.4	Compression Flanges Stiffened Longitudinally and Transversely	April 2000	10-75
10.39.4.5	Compression Flange Stiffeners, General	April 2000	10-76
10.39.5	Flange to Web Welds	April 2000	10-76
10.39.6	Diaphragms	April 2000	10-76
10.39.7	Lateral Bracing	April 2000	10-76
10.39.8	Access and Drainage	April 2000	10-76
10.40	HYBRID GIRDERS	April 2000	10-76
10.40.1	General	April 2000	10-76
10.40.2	Allowable Stresses	April 2000	10-76
10.40.2.1	Bending	April 2000	10-76
10.40.2.2	Shear	April 2000	10-77
10.40.2.3	Fatigue	April 2000	10-77
10.40.3	Plate Thickness Requirements	April 2000	10-77
10.40.4	Bearing Stiffener Requirements	April 2000	10-77
10.41	ORTHOTROPIC-DECK SUPERSTRUCTURES	April 2000	10-78
10.41.1	General	April 2000	10-78
10.41.2	Wheel Load Contact Area	April 2000	10-78
10.41.3	Effective Width of Deck Plate	April 2000	10-78
10.41.3.1	Ribs and Beams	April 2000	10-78
10.41.3.2	Girders	April 2000	10-78
10.41.4	Allowable Stresses	April 2000	10-78
10.41.4.1	Local Bending Stresses in Deck Plate	April 2000	10-78
10.41.4.2	Bending Stresses in Longitudinal Ribs	April 2000	10-79
10.41.4.3	Bending Stresses in Transverse Beams	April 2000	10-79

10.41.4.4	Intersections of Ribs, Beams, and Girders	April 2000	10-79
10.41.4.5	Thickness of Plate Elements	April 2000	10-79
10.41.4.6	Maximum Slenderness of Longitudinal Ribs	April 2000	10-79
10.41.4.7	Diaphragms	April 2000	10-79
10.41.4.8	Stiffness Requirements	April 2000	10-79
10.41.4.9	Wearing Surface	April 2000	10-80
10.41.4.10	Closed Ribs	April 2000	10-80

Part D - Strength Design Method - Load Factor Design

10.42	SCOPE	April 2000	10-81
10.43	LOADS	April 2000	10-81
10.44	DESIGN THEORY	April 2000	10-81
10.45	ASSUMPTIONS	April 2000	10-81
10.46	DESIGN STRESS FOR STRUCTURAL STEEL	April 2000	10-81
10.47	MAXIMUM DESIGN LOADS	April 2000	10-81
10.48	FLEXURAL MEMBERS	April 2000	10-81
10.48.1	Compact Sections	April 2000	10-82
10.48.2	Braced Members with Non-Compact Sections	April 2000	10-83
10.48.3	Transitions	April 2000	10-84
10.48.4	Partially Braced Sections Members	April 2000	10-84
10.48.5	Transversely Stiffened Girders	April 2000	10-86
10.48.6	Longitudinally Stiffened Girders	April 2000	10-87
10.48.7	Bearing Stiffeners	April 2000	10-88
10.48.8	Shear	April 2000	10-88
10.49	FLEXURAL MEMBERS WITH SINGLY SYMMETRIC SECTIONS	April 2000	10-89
10.49.1	General	April 2000	10-89
10.49.2	Transversely Stiffened Sections	April 2000	10-89
10.49.3	Longitudinally Stiffened Sections	April 2000	10-90
10.49.4	Braced Members with Non-Compact Sections	April 2000	10-90
10.49.5	Partially Braced Member Sections	April 2000	10-90
10.50	COMPOSITE SECTIONS	April 2000	10-90
10.50.1	Positive Moment Sections	April 2000	10-91
10.50.1.1	Compact Sections	April 2000	10-91
10.50.1.2	Non-Compact Sections	April 2000	10-93
10.50.2	Negative Moment Sections	April 2000	10-93
10.50.2.1	Compact Sections	April 2000	10-93
10.50.2.2	Non-Compact Sections	April 2000	10-94
10.51	COMPOSITE BOX GIRDERS	April 2000	10-94
10.51.1	Design Bending Strength	April 2000	10-94
10.51.2	Live Load Moment Distribution	April 2000	10-94
10.51.3	Web Plates	April 2000	10-94
10.51.4	Tension Flanges	April 2000	10-95
10.51.5	Compression Flanges	April 2000	10-95

10.51.6	Diaphragms	April 2000	10-96
10.51.7	Flange to Web Welds	April 2000	10-96
10.52	SHEAR CONNECTORS	April 2000	10-96
10.52.1	General	April 2000	10-96
10.52.2	Number of Connectors	April 2000	10-96
10.52.3	Maximum Spacing	April 2000	10-96
10.53	HYBRID GIRDERS	April 2000	10-96
10.53.1	Non-Composite Sections	April 2000	10-97
10.53.1.1	Compact Sections	April 2000	10-97
10.53.1.2	Braced Members with Non-Compact Sections	April 2000	10-97
10.53.1.3	Partially Braced Member Sections	April 2000	10-97
10.53.1.4	Transversely Stiffened Girders	April 2000	10-98
10.53.2	Composite Sections	April 2000	10-98
10.54	COMPRESSION MEMBERS	April 2000	10-98
10.54.1	Axial Loading	April 2000	10-98
10.54.1.1	Design Axial Strength	April 2000	10-98
10.54.1.2	Effective Length	April 2000	10-99
10.54.2	Combined Axial Load and Bending	April 2000	10-99
10.54.2.1	<i>Deleted</i>	April 2000	10-99
10.54.2.2	<i>Deleted</i>	April 2000	10-99
10.55	SOLID RIB ARCHES	April 2000	10-99
10.55.1	Moment Amplification and Allowable Stresses	April 2000	10-99
10.55.2	Web Plates	April 2000	10-99
10.55.3	Flange Plates	April 2000	10-101
10.56	SPLICES, CONNECTIONS, AND DETAILS	April 2000	10-101
10.56.1	Connectors	April 2000	10-101
10.56.1.1	General	April 2000	10-101
10.56.1.2	Welds	April 2000	10-101
10.56.1.3	Fasteners	April 2000	10-101
10.56.1.4	Slip-Critical Joints	April 2000	10-103
10.56.2	Bolts Subjected to Prying Action by Connected Parts	April 2000	10-103
10.56.3	Rigid Connections	April 2000	10-103
10.57	OVERLOAD	April 2000	10-103
10.57.1	Non-Composite Sections	April 2000	10-104
10.57.2	Composited Sections	April 2000	10-104
10.57.3	Slip-Critical Joints	April 2000	10-104
10.58	FATIGUE	April 2000	10-105
10.58.1	General	April 2000	10-105
10.58.2	Composite Construction	April 2000	10-105
10.58.2.1	Slab Reinforcement	April 2000	10-105
10.58.2.2	Shear Connectors	April 2000	10-105
10.58.3	Hybrid Beams and Girders	April 2000	10-105
10.59	DEFLECTION	April 2000	10-105
10.60	ORTHOTROPIC SUPERSTRUCTURES	April 2000	10-105
10.61	CONSTRUCTIBILITY	April 2000	10-105
10.61.1	Web	April 2000	10-105

10.61.2	<i>Deleted</i>	April 2000	10-106
10.61.3	Cross Section	April 2000	10-106
10.61.4	Compression Flange	April 2000	10-106

Section 11 - Aluminum Design

11.1	GENERAL	April 2000	11-1
11.2	BRIDGES	April 2000	11-1
11.3	SOIL-METAL PLATE INTERACTION SYSTEMS	April 2000	11-1
11.4	STRUCTURAL SUPPORTS FOR HIGHWAY SIGNS, LUMINAIRES, AND TRAFFIC SIGNALS	April 2000	11-1
11.5	BRIDGERAILING	April 2000	11-1

Section 12 - Soil-Corrugated Metal Structure Interaction Systems

12.1	GENERAL	April 2000	12-1
12.1.1	Scope	April 2000	12-1
12.1.2	Notations	April 2000	12-1
12.1.3	Loads	April 2000	12-1
12.1.4	Design	April 2000	12-1
12.1.5	Materials	April 2000	12.1
12.1.6	Soil Design	April 2000	12-1
12.1.6.1	Soil Parameters	April 2000	12-1
12.1.6.2	Pipe Arch Design	April 2000	12-2
12.1.6.3	Arch Design	April 2000	12-2
12.1.7	Abrasive or Corrosive Conditions	April 2000	12-2
12.1.8	Minimum Spacing	April 2000	12-2
12.1.9	End Treatment	April 2000	12-2
12.1.10	<i>Deleted</i>	April 2000	12-2
12.2	SERVICE LOAD DESIGN	April 2000	12-2
12.3	LOAD FACTOR DESIGN	April 2000	12-2
12.3.1	Wall Area	April 2000	12-3
12.3.2	Buckling	April 2000	12-3
12.3.3	Seam Strength	April 2000	12-3
12.3.4	Handling and Installation Strength	April 2000	12-3
12.4	CORRUGATED METAL PIPE	April 2000	12-3
12.4.1	General	April 2000	12-3
12.4.1.2	Service Load Design- Safety Factor, SF:	April 2000	12-3
12.4.1.3	Load Factor Design - Capacity Modification Factor, ϕ	April 2000	12-4
12.4.1.4	Flexibility Factor	April 2000	12-4
12.4.1.5	Minimum Cover	April 2000	12-4
12.4.2	Seam Strength	April 2000	12-4
12.4.3	Section Properties	April 2000	12-5
12.4.3.1	Steel Conduits	April 2000	12-5
12.4.3.2	Aluminum Conduits	April 2000	12-5
12.4.4	Chemical and Mechanical Requirements	April 2000	12-6

12.4.5	Smooth Lined Pipe	April 2000	12-6
12.5	SPIRAL RIB METAL PIPE	April 2000	12-6
12.5.1	General	April 2000	12-6
12.5.2	Design	April 2000	12-6
12.5.2.1	Load Factor Design	April 2000	12-6
12.5.2.2	Flexibility Factor	April 2000	12-6
12.5.2.3	Minimum Cover	April 2000	12-6
12.5.3	Section Properties	April 2000	12-6
12.5.3.1	Steel Conduits	April 2000	12-6
12.5.3.2	Aluminum Conduits	April 2000	12-7
12.5.4	Chemical and Mechanical Requirements	April 2000	12-7
12.5.4.1	Steel Spiral Rib Pipe and Pipe - Arch Requirements - AASHTO M 218	April 2000	12-7
12.5.4.2	Aluminum Spiral Rib Pipe and Pipe - Arch Requirements - AASHTO M 197	April 2000	12-7
12.5.5	Construction Requirements	April 2000	12-7
12.6	STRUCTURAL PLATE PIPE STRUCTURES	April 2000	12-7
12.6.1	General	April 2000	12-7
12.6.1.2	Service Load Design - Safety Factor, SF	April 2000	12-7
12.6.1.3	Load Factor Design Capacity Modification Factor	April 2000	12-7
12.6.1.4	Flexiblility Factor	April 2000	12-8
12.6.1.5	Minimum Cover	April 2000	12-8
12.6.2	Seam Strength	April 2000	12-8
12.6.3	Section Properties	April 2000	12-9
12.6.3.1	Steel Conduits	April 2000	12-9
12.6.3.2	Aluminum Conduits	April 2000	12-9
12.6.4	Chemical and Mechanical Properties	April 2000	12-9
12.6.4.1	Steel Structural Plate Pipe, Pipe-Arch, and Arch Material Requirements - AASHTO M167	April 2000	12-9
12.6.4.2	Aluminum Structural Plate Pipe, Pipe-Arch, and Arch Material Requirements - AASHTO M 219, Alloy 5052	April 2000	12-9
12.6.5	Structural Plate Arches	April 2000	12-9
12.7	LONG SPAN STRUCTURAL PLATE STRUCTURES	April 2000	12-9
12.7.1	General	April 2000	12-9
12.7.2	Structure Design	April 2000	12-10
12.7.2.1	General	April 2000	12-10
12.7.2.2	Acceptable Special Features	April 2000	12-10
12.7.3	Foundation Design	April 2000	12-10
12.7.3.1	Settlement Limits	April 2000	12-10
12.7.3.2	Footing Reactions (Arch Structures)	April 2000	12-11
12.7.3.3	Footing Design	April 2000	12-13
12.7.4	Soil Envelope Design	April 2000	12-13
12.7.5	End Treatment	April 2000	12-14
12.7.6	Multiple Structures	April 2000	12-14
12.8	STRUCTURAL PLATE BOX CULVERT	April 2000	12-14

Section 13 - Wood Structures

13.1	GENERAL AND NOTATIONS	April 2000	13-1
13.1.1	General	April 2000	13-1
13.1.2	Net Section	April 2000	13-1
13.1.3	Impact	April 2000	13-1
13.1.4	Notations	April 2000	13-1
13.2	MATERIALS	April 2000	13-2
13.2.1	Sawn Lumber	April 2000	13-2
13.2.1.1	General	April 2000	13-2
13.2.1.2	Dimensions	April 2000	13-2
13.2.2	Glued Laminated Timber	April 2000	13-3
13.2.2.1	General	April 2000	13-3
13.2.2.2	Dimensions	April 2000	13-3
13.2.3	Structural Composite Lumber	April 2000	13-3
13.2.3.1	General	April 2000	13-3
13.2.3.2	Laminated Veneer Lumber	April 2000	13-3
13.2.3.3	Parallel Strand Lumber	April 2000	13-3
13.2.3.4	Dimensions	April 2000	13-3
13.2.4	Piles	April 2000	13-3
13.3	PRESERVATIVE TREATMENT	April 2000	13-3
13.3.1	Requirement for Treatment	April 2000	13-3
13.3.2	Treatment Chemicals	April 2000	13-3
13.3.3	Field Testing	April 2000	13-3
13.3.4	Fire Retardant Treatments	April 2000	13-4
13.4	DEFLECTION	April 2000	13-4
13.5	DESIGN VALUES	April 2000	13-4
13.5.1	General	April 2000	13-4
13.5.2	Tabulated Values for Sawn Lumber	April 2000	13-4
13.5.2.2	Stress Grades in Flexure	April 2000	13-4
13.5.3	Tabulated Values for Glued Laminated Timber	April 2000	13-4
13.5.4	Tabulated Values for Structural Composite Lumber	April 2000	13-13
13.5.5	Adjustments to Tabulated Design Values	April 2000	13-13
13.5.5.1	Wet Service Factor, C_M	April 2000	13-13
13.5.5.2	Load Duration Factor, C_D	April 2000	13-13
13.5.5.3	Adjustment for Preservative Treatment	April 2000	13-21
13.6	BENDING MEMBERS	April 2000	13-21
13.6.1	General	April 2000	13-21
13.6.2	Notching	April 2000	13-21
13.6.3	Modulus of Elasticity	April 2000	13-22
13.6.4	Bending	April 2000	13-22
13.6.4.1	Allowable Stress	April 2000	13-22
13.6.4.2	Size Factor, C_F	April 2000	13-22
13.6.4.3	Volume Factor, C_V	April 2000	13-22
13.6.4.4	Beam Stability Factor, C_L	April 2000	13-23
13.6.4.5	Form Factor, C_f	April 2000	13-23
13.6.5	Shear Parallel to Grain	April 2000	13-24
13.6.5.1	General	April 2000	13-24

13.6.5.2	Actual Stress	April 2000	13-24
13.6.5.3	Allowable Stress	April 2000	13-24
13.6.6	Compression Perpendicular to Grain	April 2000	13-24
13.6.6.1	General	April 2000	13-24
13.6.6.2	Allowable Stress	April 2000	13-24
13.6.6.3	Bearing Area Factor, C_b	April 2000	13-25
13.6.7	Bearing on Inclined Surfaces	April 2000	13-25
13.7	COMPRESSION MEMBERS	April 2000	13-25
13.7.1	General	April 2000	13-25
13.7.2	Eccentric Loading or Combined Stresses	April 2000	13-25
13.7.3	Compression	April 2000	13-26
13.7.3.1	Net Section	April 2000	13-26
13.7.3.2	Allowable Stress	April 2000	13-26
13.7.3.3	Column Stability Factor, C_p	April 2000	13-26
13.7.3.4	Tapered Columns	April 2000	13-27
13.7.3.5	Round Columns	April 2000	13-27
13.7.4	Bearing Parallel to Grain	April 2000	13-27
13.8	TENSION MEMBERS	April 2000	13-28
13.8.1	Tension Parallel to Grain	April 2000	13-28

Section 14 - Bearings

14.1	SCOPE	April 2000	14-1
14.2	DEFINITIONS	April 2000	14-1
14.3	NOTATIONS	April 2000	14-2
14.4	MOVEMENTS AND LOADS	April 2000	14-3
14.4.1	Design Requirements	April 2000	14-3
14.5	GENERAL REQUIREMENTS FOR BEARINGS	April 2000	14-3
14.5.1	Load and Movement Capabilities	April 2000	14-3
14.5.2	Characteristics	April 2000	14-3
14.5.3	Forces in the Structure Caused by Restraint of Movement at the Bearing	April 2000	14-6
14.5.3.1	Horizontal Force	April 2000	14-6
14.5.3.2	Bending Moment	April 2000	14-6
14.6	SPECIAL DESIGN PROVISIONS FOR BEARINGS	April 2000	14-6
14.6.1	<i>Deleted</i>	April 2000	14-6
14.6.2	PTFE Sliding Surfaces	April 2000	14-7
14.6.2.1	PTFE Surface	April 2000	14-7
14.6.2.2	Mating Surface	April 2000	14-7
14.6.2.3	Minimum Thickness Requirements	April 2000	14-7
14.6.2.4	Contact Pressure	April 2000	14-7
14.6.2.5	Coefficient of Friction	April 2000	14-7
14.6.2.6	Attachment	April 2000	14-8
14.6.3	Bearings with Curved Sliding Surfaces	April 2000	14-9
14.6.3.1	Geometric Requirements	April 2000	14-9
14.6.3.2	Resistance to Lateral Load	April 2000	14-9
14.6.4	<i>Deleted</i>	April 2000	14-10

14.6.5	Steel Reinforced Elastomeric Bearings - Method B	April 2000	14-10
14.6.5.1	General	April 2000	14-10
14.6.5.2	Material Properties	April 2000	14-10
14.6.5.3	Design Requirements	April 2000	14-10
14.6.6	Elastomeric Pads and Steel Reinforced Elastomeric Bearings - Method A	April 2000	14-13
14.6.6.1	General	April 2000	14-13
14.6.6.2	Material Properties	April 2000	14-13
14.6.6.3	Design Requirements	April 2000	14-13
14.6.6.4	Resistance to Deformation	April 2000	14-14
14.6.7	<i>Deleted</i>	April 2000	14-14
14.6.8	<i>Deleted</i>	April 2000	14-14
14.6.9	Guides and Restraints	April 2000	14-15
14.6.9.1	General	April 2000	14-15
14.6.9.2	Design Loads	April 2000	14-15
14.6.9.3	Materials	April 2000	14-15
14.6.9.4	Geometric Requirements	April 2000	14-15
14.6.9.5	Design Basis	April 2000	14-15
14.6.9.6	Attachment of Low-Friction Material	April 2000	14-15
14.6.10	Other Bearing System	April 2000	14-15
14.7	LOAD PLATES AND ANCHORAGE FOR BEARINGS	April 2000	14-16
14.7.1	Plates for Load Distribution	April 2000	14-16
14.7.2	Tapered Plates	April 2000	14-16
14.7.3	Anchorage	April 2000	14-16
14.8	CORROSION PROTECTION	April 2000	14-16

Section 15 - TFE Bearing Surface

Section 15 has been replaced by Section 14, "Bearings".

Section 16 - Steel Tunnel Liner Plates

16.1	GENERAL AND NOTATIONS	April 2000	16-1
16.1.1	General	April 2000	16-1
16.1.2	Notations	April 2000	16-1
16.2	LOADS	April 2000	16-1
16.3	DESIGN	April 2000	16-2
16.3.1	Criteria	April 2000	16-2
16.3.2	Joint Strength	April 2000	16-2
16.3.3	Minimum Stiffness for Installation	April 2000	16-3
16.3.4	Critical Buckling of Liner Plate Wall	April 2000	16-3
16.3.5	Deflection or Flattening	April 2000	16-4
16.4	CHEMICAL AND MECHANICAL REQUIREMENTS	April 2000	16-4
16.4.1	Chemical Composition	April 2000	16-4
16.4.2	Minimum Mechanical Properties of Flat Plate before Cold Forming	April 2000	16-4
16.4.3	Dimensions and Tolerances	April 2000	16-4

16.5	SECTION PROPERTIES	April 2000	16-4
16.6	COATINGS	April 2000	16-4
16.7	BOLTS	April 2000	16-4
16.8	SAFETY FACTORS	April 2000	16-5

Section 17 - Soil Reinforced Concrete Structure Interaction Systems

17.1	GENERAL	April 2000	17-1
17.1.1	Scope	April 2000	17-1
17.1.2	Notations	April 2000	17-1
17.1.3	Loads	April 2000	17-3
17.1.4	Design	April 2000	17-3
17.1.5	<i>Deleted</i>	April 2000	17-3
17.1.6	Soil	April 2000	17-3
17.1.7	Abrasive or Corrosive Conditions	April 2000	17-3
17.1.8	End Structures	April 2000	17-3
17.1.9	<i>Deleted</i>	April 2000	17-3
17.2	SERVICE LOAD DESIGN	April 2000	17-3
17.3	LOAD FACTOR DESIGN	April 2000	17-3
17.4	REINFORCED CONCRETE PIPE	April 2000	17-3
17.4.1	Application	April 2000	17-3
17.4.2	Materials	April 2000	17-3
17.4.2.1	Concrete	April 2000	17-3
17.4.2.2	Reinforcement	April 2000	17-3
17.4.2.3	Concrete Cover for Reinforcement	April 2000	17-3
17.4.3	Installations	April 2000	17-4
17.4.3.1	Standard Installations	April 2000	17-4
17.4.3.2	<i>Deleted</i>	April 2000	17-4
17.4.4	Design	April 2000	17-4
17.4.4.1	General Requirements	April 2000	17-4
17.4.4.2	Loads	April 2000	17-5
17.4.4.3	Minimum Fill	April 2000	17-5
17.4.4.4	Design Methods	April 2000	17-5
17.4.5	Indirect Design Method Based on Pipe Strength and Load-Carrying Capacity	April 2000	17-10
17.4.5.1	Loads	April 2000	17-10
17.4.5.2	Bedding Factor	April 2000	17-11
17.4.6	Direct Design Method for Precast Reinforced Concrete Circular Pipe	April 2000	17-12
17.4.6.1	Application	April 2000	17-12
17.4.6.2	General	April 2000	17-12
17.4.6.3	Strength-Reduction Factors	April 2000	17-13
17.4.6.4	Process and Material Factors	April 2000	17-13
17.4.6.5	Orientation Angle	April 2000	17-13
17.4.7	Development of Quadrant Mat Reinforcement	April 2000	17-19
17.5	REINFORCED CONCRETE ARCH, CAST-IN-PLACE	April 2000	17-19
17.5.1	Application	April 2000	17-19

17.5.2	Materials	April 2000	17-19
17.5.2.1	Concrete	April 2000	17-19
17.5.2.2	Reinforcement	April 2000	17-19
17.5.3	Design	April 2000	17-20
17.5.3.1	General Requirements	April 2000	17-20
17.5.3.2	Minimum Cover	April 2000	17-20
17.5.3.3	Strength-Reduction Factors	April 2000	17-20
17.5.3.4	Splices of Reinforcement	April 2000	17-20
17.5.3.5	Footing Design	April 2000	17-20
17.6	REINFORCED CONCRETE BOX, CAST-IN-PLACE	April 2000	17-20
17.6.1	Application	April 2000	17-20
17.6.2	Materials	April 2000	17-20
17.6.2.1	Concrete	April 2000	17-20
17.6.2.2	Reinforcement	April 2000	17-20
17.6.3	Concrete Cover for Reinforcement	April 2000	17-20
17.6.4	Design	April 2000	17-20
17.6.4.1	General Requirements	April 2000	17-20
17.6.4.2	<i>Deleted</i>	April 2000	17-20
17.6.4.3	Distribution of Concentrated Load Effects to Bottom Slab	April 2000	17-20
17.6.4.4	Distribution of Concentrated Loads in Skewed Culverts	April 2000	17-20
17.6.4.5	Span Length	April 2000	17-21
17.6.4.6	Strength Reduction Factors	April 2000	17-21
17.6.4.7	Crack Control	April 2000	17-21
17.6.4.8	Minimum Reinforcement	April 2000	17-21
17.7	REINFORCED CONCRETE BOX, PRECAST	April 2000	17-21
17.7.1	Application	April 2000	17-21
17.7.2	Materials	April 2000	17-21
17.7.2.1	Concrete	April 2000	17-21
17.7.2.2	Reinforcement	April 2000	17-21
17.7.3	Concrete Cover for Reinforcement	April 2000	17-21
17.7.4	Design	April 2000	17-22
17.7.4.1	General Requirements	April 2000	17-22
17.7.4.2	<i>Deleted</i>	April 2000	17-22
17.7.4.3	Distribution of Concentrated Load Effects in Sides and Bottoms	April 2000	17-22
17.7.4.4	Distribution of Concentrated Loads in Skewed Culverts	April 2000	17-22
17.7.4.5	Span Length	April 2000	17-22
17.7.4.6	Strength Reduction Factors	April 2000	17-22
17.7.4.7	Crack Control	April 2000	17-22
17.7.4.8	Minimum Reinforcement	April 2000	17-22
17.7.4.9	Shear Transfer in Transverse Joints Between Culvert Sections	April 2000	17-22
17.8	PRECAST REINFORCED CONCRETE THREE-SIDED STRUCTURES	April 2000	17-23
17.8.1	Application	April 2000	17-23
17.8.2	Materials	April 2000	17-23

17.8.2.1	Concrete	April 2000	17-23
17.8.2.2	Reinforcement	April 2000	17-23
17.8.3	Concrete Cover for Reinforcement	April 2000	17-23
17.8.4	Geometric Properties	April 2000	17-23
17.8.5	Design	April 2000	17-23
17.8.5.1	General Requirements	April 2000	17-23
17.8.5.2	Distribution of Concentrated Load Effects in Side	April 2000	17-23
17.8.5.3	Distribution of Concentrated Loads in Skewed Culverts	April 2000	17-23
17.8.5.4	Shear Transfer in Transverse Joints Between Culvert Section	April 2000	17-23
17.8.5.5	Span Length	April 2000	17-24
17.8.5.6	Strength Reduction Factor	April 2000	17-24
17.8.5.7	Crack Control	April 2000	17-24
17.8.5.8	Minimum Reinforcement	April 2000	17-24
17.8.5.9	Deflection Control	April 2000	17-24
17.8.5.10	Footing Design	April 2000	17-24
17.8.5.11	Structure Backfill	April 2000	17-24
17.8.5.12	Scour Protection	April 2000	17-24

Section 18 - Soil-Thermoplastic Pipe Interaction Systems

18.1	GENERAL	April 2000	18-1
18.1.1	Scope	April 2000	18-1
18.1.2	Notations	April 2000	18-1
18.1.3	Loads	April 2000	18-1
18.1.4	Design	April 2000	18-1
18.1.5	Materials	April 2000	18-1
18.1.6	Soil Design	April 2000	18-1
18.1.6.1	Soil Parameters	April 2000	18-1
18.1.7	Abrasive or Corrosive Conditions	April 2000	18-2
18.1.8	Minimum Spacing	April 2000	18-2
18.1.9	End Treatment	April 2000	18-2
18.1.10	<i>Deleted</i>	April 2000	18-2
18.2	SERVICELOADDESIGN	April 2000	18-2
18.3	LOADFACTOR DESIGN	April 2000	18-2
18.3.1	Wall Area	April 2000	18-2
18.3.2	Buckling	April 2000	18-2
18.3.3	Handling and Installation Strength	April 2000	18-3
18.4	PLASTICPIPE	April 2000	18-3
18.4.1	General	April 2000	18-3
18.4.1.2	<i>Deleted</i>	April 2000	18-3
18.4.1.3	Load Factor Design - Capacity Modification Factor, ϕ : April 2000	April 2000	18-3
18.4.1.4	Flexibility Factor	April 2000	18-3
18.4.1.5	Minimum Cover	April 2000	18-3
18.4.1.6	Maximum Strain	April 2000	18-3
18.4.1.7	Local Buckling	April 2000	18-3
18.4.2	Section Properties	April 2000	18-3
18.4.2.1	PE Corrugated Pipes (AASHTO M 294)	April 2000	18-4

18.4.2.2	PE Ribbed Pipes (ASTM F 894)	April 2000	18-4
18.4.2.3	Profile Wall (Ribbed) PVC Pipes (AASHTO M 304)	April 2000	18-4
18.4.3	Chemical and Mechanical Requirements	April 2000	18-4
18.4.3.1	Polyethylene	April 2000	18-4
18.4.3.2	Poly (Vinyl Chloride) (PVC)	April 2000	18-5

Appendix A

Live Load Tables	April 2000	A-1
------------------------	------------------	-----

Appendix B

Truck Train Loadings	April 2000	B-1
----------------------------	------------------	-----

Appendix C

Columns.....	April 2000	C-1
--------------	------------------	-----

Appendix D

Computation of Plastic Section Modulus Z*	April 2000	D-1
---	------------------	-----